

1/6






FIG. 5

2/6



3/6

☒ Installation Snap-shot 1

Current Installation

☒ Saved Snap-shot

e:\files\snapshot.ii_snapsh

☐ Installation Snap-shot 2

Saved Snap-shot

e:\files\snapshot.ii_snapsh

Compare

HostNames Mapping

Differences

main parameters

parameter	current installation	snapshot.ii_snapshot	ignore in differences
host name	new_york	new_york1	<input checked="" type="checkbox"/>
installation ID	II	II2	<input checked="" type="checkbox"/>
II_SYSTEM	E:\ingresII	E:\ingresII	<input checked="" type="checkbox"/>
other hosts configured	yes	no	

Configuration

System variables

User Variables


Other Configured hosts

parameter	current installation	snapshot.ii_snapshot
ii.<hostname>.gcن.timeout	60	240
ii.new_york.ingstart.*jdbc	1	n/a
ii.new_york.jdbc.*client_max	-1	n/a
ii.new_york.jdbc.*client_timeout	0	n/a
ii.new_york.jdbc.*connect_pool_expire	0	n/a
ii.new_york.jdbc.*connect_pool_size	-1	n/a
ii.new_york.jdbc.*connect_pool_status	optional	n/a
ii.new_york.jdbc.*port	117	n/a
ii.new_york.jdbc.*protocol	wintcp	n/a

Total differences: 9

FIG. 2B

4/6



5/6




FIG. 3B

6/6

